



Cork Pads with Cling Foam for Glass

Since 2003, “Raybone” have produced and exported Cork Pads with cling foam for glass about 20 years., as a large-scale Cork products manufacturer and supplier in China. Cork Pads with cling foam for glass is one of “Raybone” cork products. It has competitive price advantage and cover most of the European and American markets in glass industry. “Raybone” is a professional leader China Cork roll, Cork sheet, Cork pads

manufacturer with high quality and reasonable price. Welcome to contact us.

Product Description

Glass, windows, doors and mirrors are fragile. “Raybone” Cork Pads with cling foam for glass are easy to be removed cleanly, yet adhered securely to architectural glass, auto glass, furniture glass, stone, windows & doors, during transporting, packing, storage and installation. Setting between the glass, the cork pads can absorb vibration, maintain position and prevent breakage.



Parameters of Cork Pads with cling foam for glass:	
Components	Plain cork, self-adhesive cling foam, protective liner
Density of cork(KG/m ³)	190±20
Hardness of cork	70-76 shore
Tolerance of thickness	0.2mm
Tolerance of length	0.5mm
Adsorbability(Newton)	3±1 N/sq.cm(+20°C)
Acidity & alkalescence	neutral
Heat-resistant	100 Centigrade, over 2 hours, no residue on glass
Humidity-resistant	relative humidity 95%, over 2 weeks, no residue on glass
Wear	pressure 45KG, normal temperature, 180 days, no residue on glass
Recommend temperature of processing	+18°C up to +30°C
Storage	at 18°C and about 60% relative humidity of air, clean and dry in original cardboard, to protect against UV-radiation and too high humidity of air

Size:

Standard thickness: 3mm

Other normal thickness: 1.5mm、2mm、4mm、5mm

Standard size: 18x18mm

Other normal size: 10x10mm、15x15mm、20x20mm、40x40mm


Above can be customized as per your requests



Standard packing details

In sheet Cork Pads with cling foam for glass:

MODEL NO.	PAD SIZE	THICKNESS	PAD/BOX	BOX SIZE(CM)	VOL.(CBM)	G.W.(KG)
SA-1030	10x10mm	3mm cork	89000pcs	34*35*36	0.043	11.5
SA-1530	15x15mm	3mm cork	40000pcs	34*35*36	0.043	11
SA-1830	18x18mm	3mm cork	28000pcs	34*35*36	0.043	11
SA-2030	20x20mm	3mm cork	22000pcs	34*35*36	0.043	10.8
SA-4030	40x40mm	3mm cork	5500pcs	34*35*36	0.043	10.8


In roll Cork Pads with cling foam for glass:

MODEL NO.	PAD SIZE	THICKNESS	PAD/BOX	BOX SIZE(CM)	VOL.(CBM)	G.W.(KG)
RA-1030	10x10mm	3mm cork	64800pcs (2 rolls)	35*36*35	0.044	8.2
RA-1530	15x15mm	3mm cork	28800pcs (2 rolls)	35*36*35	0.044	8.1
RA-1830	18x18mm	3mm cork	20000pcs (2 rolls)	35*36*35	0.044	8.2
RA-2030	20x20mm	3mm cork	16200pcs (2 rolls)	35*36*35	0.044	8.0
RA-4030	40x40mm	3mm cork	4050pcs (2 rolls)	35*36*35	0.044	8.1




**Installation Instructions of Cork Pads with cling foam for glass:**

Please place the cork pads on the edge of the glass, one pad per 30cm or 40cm, and totally 8 pads on the area of 1 square meter; more pads must be put on the middle of glass for the area more than 1 square meter and the actual quantity should be subject to the reality.

Principle: the smaller the glass area is, the less the pads need.

For the same area glass, the more the cork pads are used, the better the protection effect is.

Please use the approximate cord pads quantity according to the real situation.



Factory:

We set large-scale production line for cork raw materials in Hubei province of China