

Red EVA Rubber Pads With Adhesive

Eva Rubber Pads is very popular materials for glass factories. As a large-scale manufacturer and supplier in China, “Raybone” have been specialized in Eva Rubber Pads for about 20 years. As one of our standard products, Red EVA Rubber Pads with Adhesive, has competitive price advantage and cover most of the European and American markets for glass industry. We are looking for agents/distributors all over the world .

Welcome to contact us for the mutual benefits from the long-term cooperation.

Product Description

China Quality “Raybone” Red EVA Rubber Pads with Adhesive has been a standard usage for glass industry for all markets almost. Glass, windows, doors and mirrors are fragile. “Raybone” Red EVA Rubber Pads with Adhesive are easy to be removed cleanly, yet adhered securely to architectural glass, auto glass, furniture glass, stone, windows & doors, during transporting, packing, storage and installation. Setting between the glass, the pads can absorb vibration, maintain position and prevent breakage.

Red Eva Rubber Pads With Adhesive Parameter (Specification)

MODEL NO.	SIZE	THICKNESS	PADS/BOX	VOL.(cbm)	GW(kg)
SC-1520	15mm*15mm	2mm EVA	75000	0.045	10


Red Eva Rubber Pads With Adhesive Feature And Application

Features: 1. Strong Stickiness 2. High Temperature Resistance, Stable Performance, Temperature Resistance Up To 70~9 Degrees 3. Waterproof, Moisture-Proof 4. Good Flexibility, Shockproof, Anti-Skid, Compression Resistance 5. No Sawdust, Clean and No Residue


Using for: Architectural Glass, Auto Glass, Furniture glass, Windows & Doors, etc

Application In The Glass Deep-Processing Industry: Transporting, Packing, Storage, Installation

Application Method: Put The Red Eva Rubber Pads With Adhesive On The Edge Of The Glass, The Distance Between Two Pads Is About 30-40Cm, Totally 8 Pads On The Area Of 1 Square Meter



Red Eva Rubber Pads with Adhesive Details



Red Eva Rubber Pads With Adhesive Are Machined From Black Eva Rubber. The Conventional Thickness Of Eva Rubber Pad Is 2Mm~5Mm. The Hardness Of Conventional Specifications Is About 60 Degrees, And Materials With Different Hardness Such As 38 Degrees, 70 Degrees, And 80 Degrees Are Available. In Addition To Regular Thickness And Hardness, Other Thickness, Hardness And Size Can Be Customized According To Customer Needs.

